

CORRECTION

Open Access



Correction: Spatial analysis to evaluate risk of malaria in Northern Sumatera, Indonesia

Fahmi Fahmi¹, Ayodhia Pitaloka Pasaribu^{2*} , Minerva Theodora³ and Kinley Wangdi⁴

Correction to: *Malaria Journal* (2022) 21:241

<https://doi.org/10.1186/s12936-022-04262-y>

Following publication of the article [1], the authors flagged that out-of-date figures had been provided. The article has since been corrected with up-to-date, correct

versions of the figures, and these correct figures are provided in this erratum (Figs. 1, 2, 3, 4, 5 and 6).

The authors thank you for reading and apologize for any inconvenience caused.

The original article can be found online at <https://doi.org/10.1186/s12936-022-04262-y>.

*Correspondence: ayodhiapp@usu.ac.id

² Department of Child Health, Medical Faculty, Universitas Sumatera Utara, Medan 20155, Indonesia

Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 1 Map of Northern Sumatera, Indonesia with malaria transmitting regencies. 1—Asahan, 2—Batu Bara, 3—Dairi, 4—Deli Serdang, 5—Humbang Hasundutan, 6—Karo, 7—Binjai, 8—Gunungsitoli, 9—Medan, 10—Padangsidempuan, 11—Pematangsiantar, 12—Sibolga, 13—Tanjungbalai, 14—Tebing Tinggi, 15—Labuhanbatu, 16—Labuhanbatu Selatan, 17—Labuhanbatu Utara, 18—Langkat, 19—Mandailing Natal, 20—Nias, 21—Nias Barat, 22—Nias Selatan, 23—Nias Utara, 24—Padang Lawas, 25—Padang Lawas Utara, 26—Pakpak Bharat, 27—Samosir, 28—Serdang Bedagai, 29—Simalungun, 30—Tapanuli Selatan, 31—Tapanuli Tengah, 32—Tapanuli Utara, 33—Toba




Fig. 2 Raw standardized morbidity ratios of **A** *Plasmodium falciparum* and **B** *Plasmodium vivax* by regencies in Northern Sumatra, Indonesia from 2019–2020. 1—Asahan, 2—Batu Bara, 8—Gunungsitoli, 12—Labuhanbatu, 18—Langkat, 19—Mandailing Natal, 20—Nias, 21—Nias Barat, 23—Nias Utara




Fig. 3 Indigenous cases by regencies in Northern Sumatera, Indonesia from 2019–2020. 1—Asahan, 2—Batu Bara, 8—Gunungsitoli, 12—Sibolga, 17—Labuhanbatu, 18—Langkat, 19—Mandailing Natal, 20—Nias, 21—Nias Barat, 23—Nias Utara




Fig. 4 Hot spots (Getis-Ord G_i^*) of indigenous cases in Northern Sumatra, Indonesia from 2019–2020. 11—Pematangsiantar, 13—Tanjungbalai




Fig. 5 Imported cases by regencies in Northern Sumatera, Indonesia from 2019–2020. 1—Asahan, 2—Batu Bara, 4—Deli Serdang, 7—Binjai, 8—Gunungsitoli, 11—Pematangsiantar, 12—Sibolga, 18—Langkat, 19—Mandailing Natal, 20—Nias, 21—Nias Barat, 23—Nias Utara, 27—Samosir, 33—Toba




Fig. 6 Hot spots (Getis-Ord G_i^*) of imported cases in Northern Sumatera, Indonesia from 2019–2020. 2—Batu Bara, 11—Pematangsiantar, 14—Tebing Tinggi, 28—Serdang Bedagai, 29—Simalungun

Author details

¹Department of Electrical Engineering, Universitas Sumatera Utara, Medan 20155, Indonesia. ²Department of Child Health, Medical Faculty, Universitas Sumatera Utara, Medan 20155, Indonesia. ³Directorate of Vector Borne and Zoonotic Disease Control, Ministry of Health of Indonesia, South Jakarta 12950, Indonesia. ⁴Department of Global Health, National Centre for Epidemiology and Population Health, College of Health and Medicine, Australian National University, Acton, ACT 2601, Australia.

Published online: 15 November 2022

Reference

1. Fahmi F, Pasaribu AP, Theodora M, Wangdi K. Spatial analysis to evaluate risk of malaria in Northern Sumatera, Indonesia. *Malar J.* 2022;21:241. <https://doi.org/10.1186/s12936-022-04262-y>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.